

Getting Started with Linux

PHYS 460/660

University of Delaware

Computational Methods of Physics

1



What Is Unix?

- Operating system developed at AT&T in the 1970s
- Portable (moveable) to any platform (not proprietary to a particular hardware vendor)
- Now available as a public domain OS
 - known as Linux
- Reference: **Red Hat Linux Survival Guide**
 - M. J. Kabir, 2002

Computational Methods of Physics

2



What Is An Operating System?

- A program that:
 - interprets commands you give it
 - provides a file system for your files
 - provides interfaces to peripherals such as printers, disks, tapes, CDs, screens, networks
- Examples of other OSs
 - Mac OS, Windows, NT, VMS, ...

Computational Methods of Physics

3



Basics Of Linux

- Commands are case sensitive
 - **ls** and **LS** are NOT the same
- The shell is the command line interpreter and there are different shells
 - bash, tcsh, csh, sh, ksh ...
 - they make each Linux look different
 - **tesla** & **casimirs** use **bash** by default
- **Check you shell:** **echo \$SHELL**

Computational Methods of Physics

4



Basics Of Linux Continued

- Command syntax
 - **command [flags] arg1 arg2 ...**
- Examples:
 - **ls -l *.ps**
 - **ls smith**
 - **ls -a**
 - lists all files that begin with the dot character
 - **ls -R**
 - lists all subdirectories

Computational Methods of Physics

5



Files And Directories

- Files contain information
 - ASCII characters
 - binary code
 - executable files (binary code)
 - a directory (encoded information about what files are in the directory)
- Directory is a collection of files and other directories

Computational Methods of Physics

6



Pathnames

- The entire Linux file system is a series of files, some of which are yours
- You get to your files (your desk in the building and a particular drawer in your desk) by specifying a path
- Path names are:
 - `/usr/local/bin`
 - `/home/bsmith` or the short form `~bsmith` or `~`

Computational Methods of Physics

7



Pathnames Cont'd

- A pathname is a series of names separated by slashes
- The root file system is `/`
- Names are a sequences of letters, digits, underscores, dots, ... (other characters but be very careful with some of these)
- Absolute pathnames begin with `/`

Computational Methods of Physics

8



Special Pathnames

- `.` (a single dot) is the current directory
- `..` (double dot) is the directory above the current directory
- `~` is your home directory (csh and tcsh only)
- `~user_name` is user name's home directory (csh and tcsh)
- `$HOME` is the home directory

Computational Methods of Physics

9



Relative pathnames

- Let's say you are currently in `/home/bsmith` and want to edit a file `/home/bsmith/dir/fname.ext` with **pico**. You can use any of:
 - `pico /home/bsmith/dir/fname.ext`
 - `pico dir/fname.ext`
 - `pico ./dir/fname.ext`
 - `pico ./bsmith/dir/fname.ext`

Computational Methods of Physics

10



Basic commands

- Copying files
 - **cp [flags] file(s) destination**
 - destination can be a file or directory
 - Analogue: COPY in MSDOS and VMS
- Renaming or moving files
 - **mv [flags] file(s) destination**
 - Analogue: RENAME and MOVE in MSDOS

Computational Methods of Physics

11



Basic commands cont.

- Deleting files [and directories]
 - **rm [flags] file(s)**
 - **rm -r directory**
 - Analogue: DEL, DELTREE in DOS
- Listing files and directories
 - **more file**
 - **ls [flags] [file(s) or directories]**
 - Analogue: MORE and DIR in DOS

Computational Methods of Physics

12



Basic Commands - cont.

- Changing directories
 - **cd** [directory]
- Creating/deleting directories
 - **mkdir** [directory]
 - **rmdir** [directory]
- Finding out where you are
 - **pwd**



Basic commands - cont.

- Job/process control (* - csh and tcsh)
 - **jobs** (list suspended and background tasks *)
 - **^Z or ^C** (suspend* or terminate current task)
 - **bg [%job]** (run suspended task in backgrnd *)
 - **fg [%job]** (bring task to foreground *)
 - **kill -9 %job [or id]** (terminate task)
 - **command &** (run *command* in background *)
 - **ps [flags]** (show status of processes)



Basic Commands - cont.

- Secure Connection to remote machines
 - **ssh host [-l username]**
 - **ssh username@host**
- Secure File Transfer
 - **sftp host or scp** (over a network)
- Collecting files into a single file
 - **tar cvf archive.tar files_and/or_directories**
 - **tar xvf archive.tar**



Basic File I/O

- Most commands read from standard input and write to standard output, and can be chained together to perform complicated tasks
 - **command < input > output**
 - **command < input >& output**
 - **cmd1 < input | cmd2 | cmd 3 > output**

